

UNITED STATES DISTRICT COURT  
THE SOUTHERN DISTRICT OF OHIO  
EASTERN DIVISION

IN RE: DAVOL, INC./C.R. BARD,  
INC., POLYPROPYLENE HERNIA  
MESH PRODUCTS LIABILITY  
LITIGATION

Case No. 2:18-md-2846

Judge Edmund A. Sargus, Jr.  
Magistrate Judge Kimberly A. Jolson

This document relates to:  
*Trujilo v. Davol, Inc., et al.*  
Case No. 2:20-cv-252

**ORDER**

On February 12, 2018, Plaintiff Alberto Trujilo filed a complaint in the Rhode Island Superior Court under Case No. PC-2018-0918. (ECF No. 3-1). In the complaint, Plaintiff asserts several claims based on alleged injuries caused by a 3D Max Mesh. (*Id.*) On January 16, 2020, through different counsel, Plaintiff filed another complaint in this MDL, also alleging injuries caused by a 3D Max Mesh. (ECF No. 1.) On May 17, 2023, Defendants filed a motion to dismiss the instant action as duplicative of Case No. PC-2018-0918. (ECF No. 3.) Plaintiff did not file a response, and the Court will therefore treat the motion as unopposed. Accordingly, Defendants' motion (ECF No. 3) is **GRANTED** and this case is **DISMISSED**.

**IT IS SO ORDERED.**

6/20/2023  
DATE

s/Edmund A. Sargus, Jr.  
EDMUND A. SARGUS, JR.  
UNITED STATES DISTRICT JUDGE